## What is claimed is:

- 1. A sheet take-out apparatus comprising:
- a sheet-feeding member on which sheets are placed;
- an air spout unit to spout out air toward a side of said sheets;
  - a take-out unit to take out a sheet from said sheets in a predetermined taking-out direction; and
- a depression member to depress said sheets against said

  sheet-feeding member on a rear edge side located behind a central

  potion of said sheets with respect to the taking-out direction of said
  take-out unit.
- 2. A sheet take-out apparatus according to Claim 1,
  wherein said air spout unit is an air nozzle provided in a vicinity of said take-out unit.
  - 3. A sheet take-out apparatus according to Claim 2, wherein said air spout unit includes first and second air nozzles provided on both sides of the sheets placed on said sheet-feeding member.

20

25

4. A sheet take-out apparatus according to Claim 3, wherein said air spout unit further includes a third air nozzle provided on a rear edge side of the sheets that is farther from said take-out unit than a place of said first air nozzle.

- 5. A sheet take-out apparatus comprising:
- a sheet feeding member on which sheets are placed;
- an air spout unit to spout out air toward a side of said sheets depressed by said depression member;
  - a take-out unit to take out a sheet from said sheets toward which said air spout unit spouts the air; and

an air jet nozzle to depress said sheets against said sheet-feeding member on a rear edge side located behind a central potion of said sheets with respect to a taking-out direction of said take-out unit..

10

15

- 6. A sheet take-out apparatus according to Claim 5, wherein a pointed end of said air jet nozzle is provided on a rear edge side that is farther from said take-out unit than the center of said sheets placed on said sheet-feeding member.
  - 7. A sheet take out apparatus comprising:
  - a sheet-feeding member on which sheets are placed;
- an air spout unit to spout out air toward said sheets depressed by said depression member; and
  - a take-out unit having a take-out rotor to take out a top sheet and a reverse rotation rotor that rotates in reverse with respect to said take-out rotor and returns excessive sheets taken from said sheets to said sheet-feeding member; and
    - a depression member to depress said sheets against said

sheet-feeding member on a rear edge side located behind a central potion of said sheets with respect to a taking-out direction of said take-out unit.

- 8. A sheet take out apparatus according to Claim 7, wherein said take out rotor and said reverse rotation rotor each are provided with surfaces in which suction holes are defined to suck a sheet from said sheets.
- 9. A sheet take-out apparatus according to Claim 8,
  wherein a friction coefficient of said surface of said take-out rotor
  is larger than that of said surface of said reverse rotation rotor.
  - 10. A sheet take-out apparatus comprising:

15

20

25

a sheet-feeding member on which sheets are placed;

guide members provided on both sides of the sheet placed on said sheet-feeding member to adjust a position of said sheets in a width direction thereof;

an air spout unit to spout out air toward a side of said sheets depressed by said depression member;

a take-out unit to take out a sheet from said sheets toward which the air is spouted; and

a depression member to depress said sheets against said sheet-feeding member on a rear edge side located behind a central potion of said sheets with respect to a taking-out direction of said take-out unit.

- 11. A sheet take out apparatus according to Claim 8, wherein said air spout unit is attached to said guide members.
- 12. A method of taking out a sheet comprising:

  placing sheets on a sheet-feeding member;

  spouting out air toward a side of said bundle of sheets;

  taking out a sheet from said bundle of sheets toward
  which the air is spouted; and

depressing said bundle of sheets against said

sheet-feeding member on a rear edge side located behind a central potion of said depressed sheets with respect to a taking-out direction of said take-out unit.

15

5

20